

BYLAW NO. 2006-17

updated  
Nov. 15/10

HIGHWAY TRAFFIC SIGNS BYLAW

A Bylaw of the Rural Municipality of Browning No. 34,  
in the Province of Saskatchewan,  
concerning the erection of highway traffic signs

The Council of the Rural Municipality of Browning No. 34 in the Province of Saskatchewan,  
enacts as follows:

1. In this Bylaw the expression "road" means any public highway within the municipality as defined in *The Highways and Transportation Act 1983-84*, other than a provincial highway as designated pursuant to such Act.
2. Signs containing the word "stop" shall be erected at the intersection of roadways at the following locations:

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
NW 34-3-5-W2	east	south	south
SW 2-4-4-W2	north	east	east
SE 3-4-4-W2	south	west	west
SE 4-4-5-W2	west	north	north
NW 12-4-4-W2	east	south	south
SE 14-4-4-W2	west	north	north
NE 22-4-4-W2	south	west	west
SW 26-4-4-W2	north	east	east
NW 32-4-4-W2	east	south	south
NW 36-4-4-W2	east	south	south
SE 4-4-5-W2	west	north	north
NW 9-4-5-W2	east	south	south
SE 17-4-5-W2	west	north	north
NW 20-4-5-W2	east	south	south
SE 26-5-4-W2	west	north	north
SE 30-4-5-W2	north	east	east
NW 36-5-4-W2	east	south	south
NE 8-4-6-W2	south	west	west
SW 16-4-6-W2	north	east	east
NE 24-4-6-W2	south	west	west
SW 30-4-6-W2	north	east	east
NW 36-4-6-W2	east	south	south
NE 36-4-6-W2	south	west	west
NE 12-4-7-W2	south	west	west
SW 2-5-4-W2	west	north	north

BYLAW NO. 2006-17 (con't) Page 2

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
SE 6-5-4-W2	west	north	north
NW 7-5-4-W2	east	south	south
NW 10-5-4-W2	east	south	south
NW 11-5-4-W2	east	south	south
NW 12-5-4-W2	east	south	south
SE 14-5-4-W2	west	north	north
SE 15-5-4-W2	west	north	north
SE 16-5-4-W2	west	north	north
NE 21-5-4-W2	south	west	west
NW 24-5-4-W2	east	south	south
SE 26-5-4-W2	west	south	south
SW 27-5-4-W2	north	east	east
NW 36-5-4-W2	east	north	north
SE 2-5-5-W2	west	north	north
NW 7-5-5-W2	east	south	south
NW 8-5-5-W2	east	south	south
NW 9-5-5-W2	east	south	south
NW 10-5-5-W2	east	south	south
NW 11-5-5-W2	east	south	south
NW 12-5-5-W2	east	south	south
SE 13-5-5-W2	west	north	north
SE 14-5-5-W2	west	north	north
SE 16-5-5-W2	west	north	north
SE 17-5-5-W2	west	north	north
SE 18-5-5-W2	west	north	north
NE 20-5-5-W2	south	west	west
NE 23-5-5-W2	south	west	west
SW 25-5-5-W2	north	east	east
SW 28-5-5-W2	north	east	east
NW 32-5-5-W2	east	south	south
SW 4-5-6-W2	north	east	east
NW 7-5-6-W2	east	south	south
NW 8-5-6-W2	east	south	south
NW 9-5-6-W2	east	south	south
NW 10-5-6-W2	east	south	south
NW 11-5-6-W2	east	south	south
NW 12-5-6-W2	east	south	south
SE 13-5-6-W2	west	north	north
SE 14-5-6-W2	west	north	north
SE 15-5-6-W2	west	north	north
SE 16-5-6-W2	west	north	north
SE 17-5-6-W2	west	north	north
SE 18-5-6-W2	west	north	north
SW 18-5-6-W2	west	north	north

**BYLAW NO. 2006-17 (con't) Page 3**

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
NW 19-5-6-W2	east	south	south
NW 32-5-6-W2	east	south	south
SE 2-6-4-W2	east	south	south
NE 9-6-4-W2	south	west	west
NE 16-6-4-W2	south	west	west
NE 17-6-4-W2	south	west	west
NE 21-6-4-W2	south	west	west
SE 26-6-4-W2	west	north	north
SW 27-6-4-W2	north	east	east
NW 31-6-4-W2	east	south	south
NW 33-6-4-W2	east	south	south
SE 5-6-5-W2	north	east	east
SW 4-6-5-W2	north	east	east
NW 7-6-5-W2	east	south	south
NW 9-6-5-W2	east	south	south
SE 17-6-5-W2	west	north	north
NW 33-6-5-W2	east	south	south
NW 34-6-5-W2	east	south	south
NW 36-6-5-W2	east	south	south
SE 13-6-6-W2	west	north	north
NW 32-6-6-W2	east	south	south
NW 33-6-6-W2	east	south	south
NW 34-6-6-W2	east	south	south
NW 35-6-6-W2	east	south	south

3. Yield signs shall be erected at the intersection of roadways at the following locations:

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
SW 1-4-4-W2	east	south	south
SE 6-4-4-W2	west	north	north
NE 10-4-4-W2	south	west	west
SW 14-4-4-W2	north	east	east
NW 31-4-4-W2	east	south	south
NW 34-4-4-W2	east	south	south
NE 34-4-4-W2	south	west	west
SE 1-4-5-W2	west	north	north
SW 1-4-5-W2	north	east	east
SE 2-4-5-W2	south	west	west
SW 2-4-5-W2	north	east	east
SE 3-4-5-W2	south	west	west
SW 3-4-5-W2	north	east	east
SE 4-4-5-W2	south	west	west

**BYLAW NO. 2006-17 (con't) Page 4**

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
SW 6-4-5-W2	north	east	east
NW 7-4-5-W2	east	south	south
NW 10-4-5-W2	east	south	south
NW 11-4-5-W2	east	south	south
NW 12-4-5-W2	east	south	south
SE 14-4-5-W2	west	north	north
SE 15-4-5-W2	west	north	north
SE 15-4-5-W2	south	west	west
SE 16-4-5-W2	west	north	north
SE 18-4-5-W2	west	north	north
SW 18-4-5-W2	north	east	east
NW 21-4-5-W2	east	south	south
NW 22-4-5-W2	east	south	south
NE 22-4-5-W2	south	west	west
NW 24-4-5-W2	east	south	south
SE 26-4-5-W2	west	north	north
SW 26-4-5-W2	north	east	east
SE 28-4-5-W2	west	north	north
SE 29-4-5-W2	west	north	north
SE 30-4-5-W2	west	north	north
SW 30-4-5-W2	north	east	east
NW 32-4-5-W2	east	south	south
NW 33-4-5-W2	east	south	south
NE 34-4-5-W2	south	west	west
NW 34-4-5-W2	east	south	south
NW 36-4-5-W2	east	south	south
SE 1-4-6-W2	south	west	west
SE 4-4-6-W2	west	north	north
SW 4-4-6-W2	north	east	east
SE 5-4-6-W2	south	west	west
SW 6-4-6-W2	south	west	west
SW 6-4-6-W2	north	east	east
NW 7-4-6-W2	west	west	west
NW 10-4-6-W2	east	south	south
NW 11-4-6-W2	east	south	south
NE 12-4-6-W2	south	west	west
SE 13-4-6-W2	west	north	north
SE 15-4-6-W2	west	north	north
SE 16-4-6-W2	west	north	north
SW 18-4-6-W2	north	east	east
NW 19-4-6-W2	east	south	south
NE 20-4-6-W2	south	west	west
NW 20-4-6-W2	east	south	south
NW 22-4-6-W2	east	south	south
NW 23-4-6-W2	east	south	south
SE 26-4-6 W2	west	north	north

**BYLAW NO. 2006-17 (con't) Page 5**

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
SE 27-4-6-W2	west	north	north
SE 28-4-6-W2	west	north	north
SW 28-4-6-W2	north	east	east
SW 30-4-6-W2	west	north	north
SE 30-4-6-W2	west	north	north
NE 32-4-6-W2	south	west	west
NW 34-4-6-W2	east	south	south
NW 35-4-6-W2	east	south	south
NW 36-4-6-W2	east	south	south
NE 36-4-6-W2	south	west	west
NE 12-4-7-W2	south	west	west
SW 2-5-4-W2	north	east	east
SE 4-5-4-W2	west	north	north
NW 31-5-4-W2	east	south	south
NW 33-5-4-W2	east	south	south
NE 33-5-4-W2	south	west	west
SE 1-5-5-W2	west	north	north
SW 2-5-5-W2	north	east	east
SE 4-5-5-W2	west	north	north
SE 5-5-5-W2	west	north	north
SE 6-5-5-W2	west	north	north
SW 6-5-5-W2	north	east	east
NW 19-5-5-W2	east	south	south
NW 20-5-5-W2	east	south	south
NE 21-5-5-W2	south	west	west
SW 27-5-5-W2	north	east	east
SE 30-5-5-W2	west	north	north
NW 31-5-5-W2	east	south	south
NW 32-5-5-W2	east	south	south
NE 32-5-5-W2	south	west	west
NW 33-5-5-W2	east	south	south
NW 34-5-5-W2	east	south	south
SE 2-5-6-W2	west	north	north
SE 3-5-6-W2	west	north	north
SE 4-5-6-W2	west	north	north
NE 20-5-6-W2	south	west	west
NE 21-5-6-W2	south	west	west
NW 24-5-6-W2	east	south	south
SE 25-5-6-W2	west	north	north
SE 26-5-6-W2	west	north	north
SW 27-5-6-W2	north	east	east
SW 28-5-6-W2	north	east	east
NW 31-5-6-W2	west	west	west
NW 33-5-6-W2	east	south	south
NE 33-5-6-W2	south	west	west
NW 36-5-6-W2	east	south	south

**BYLAW NO. 2006-17 (con't) Page 6**

LOCATION OF INTERSECTION	SIDE OF ROAD	DIRECTION FROM INTERSECTION	FACING TRAFFIC FROM
SW 3-6-4-W2	north	east	east
SE 5-6-4-W2	west	north	north
NW 7-6-4-W2	east	south	south
NW 8-6-4-W2	east	south	south
NW 11-6-4-W2	east	south	south
SE 15-6-4-W2	west	north	north
SW 15-6-4-W2	north	east	east
SE 18-6-4-W2	west	north	north
NW 19-6-4-W2	east	south	south
NW 22-6-4-W2	north	east	east
SW 22-6-4-W2	north	east	east
NW 24-6-4-W2	east	south	south
SE 29-6-4-W2	west	north	north
NE 33-6-4-W2	west	north	north
SE 1-6-5-W2	west	north	north
SW 4-6-5-W2	east	south	south
SE 4-6-5-W2	west	north	north
SE 6-6-5-W2	west	north	north
NW 9-6-5-W2	east	south	south
NW 10-6-5-W2	east	south	south
SE 13-6-5-W2	west	north	north
SE 14-6-5-W2	west	north	north
SE 16-6-5-W2	west	north	north
SE 17-6-5-W2	west	north	north
NW 21-6-5-W2	east	south	south
NW 22-6-5-W2	east	south	south
NW 24-6-5-W2	east	south	south
SE 25-6-5-W2	west	north	north
SE 26-6-5-W2	west	north	north
SE 28-6-5-W2	west	north	north
SE 29-6-5-W2	west	north	north
SW 30-6-5-W2	north	east	east
SE 1-6-6-W2	west	north	north
SE 2-6-6-W2	west	north	north
SE 3-6-6-W2	west	north	north
SW 3-6-6-W2	north	east	east
SE 5-6-6-W2	west	north	north
SW 6-6-6-W2	north	east	east
NE 9-6-6-W2	south	west	west
NW 11-6-6-W2	east	south	south
NW 12-6-6-W2	east	south	south
SE 14-6-6-W2	west	north	north
SE 15-6-6-W2	west	north	north
SW 15-6-6-W2	north	east	east
NE 21-6-6-W2	south	west	west
NW 23-6-6-W2	east	south	south

**BYLAW NO. 2006-17 (con't) Page 7**

<u>LOCATION OF INTERSECTION</u>	<u>SIDE OF ROAD</u>	<u>DIRECTION FROM INTERSECTION</u>	<u>FACING TRAFFIC FROM</u>
NE 24-6-6-W2	south	west	west
SE 27-6-6-W2	west	north	north
SW 27-6-6-W2	north	east	east
SW 30-6-6-W2	north	east	east
NW 31-6-6-W2	east	south	south
NW 36-6-6-W2	east	south	south

4. All signs erected pursuant to Sections 2 and 3 hereof shall be erected not less than three metres and not more than fifteen metres from the near edge of the intersected roadway.
5. The provisions of *The Highway Traffic Act* shall apply, wherever applicable, to every sign erected pursuant to Sections 2 and 3.
6. No person shall alter, damage, remove, deface, knock down or tamper with any sign erected pursuant to this bylaw.
7. Any person who violates any provision of this bylaw shall be guilty of an offence and shall be liable on summary conviction to the penalties in the general penalty bylaw of the municipality.
8. Bylaw No. 4-2002 is hereby repealed.

**INTRODUCED AND READ A FIRST TIME THIS 6<sup>TH</sup> DAY OF SEPTEMBER, 2006.**

**READ A SECOND TIME THIS 6<sup>TH</sup> DAY OF SEPTEMBER, 2006.**

**READ A THIRD AND FINAL TIME ON THE UNANIMOUS CONSENT OF THE COUNCIL PRESENT THIS 6<sup>TH</sup> DAY OF SEPTEMBER, 2006.**

\_\_\_\_\_  
Reeve

(Seal)

\_\_\_\_\_  
Administrator

Certified a true copy of Bylaw No. 2006-17  
passed by resolution of the Council present  
at their regular meeting on the 6<sup>th</sup> day of  
September, 2006.

---

Administrator